## **PCT**


# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



# INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> :		(11) International Publication Number: WO 98/47084
G06F 17/30	A1	(43) International Publication Date: 22 October 1998 (22.10.98
(21) International Application Number: PCT/JF (22) International Filing Date: 16 April 1998 (	98/017 (16.04.9	DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT
(30) Priority Data: 60/043,273 08/900,214 17 April 1997 (17.04.97) 24 July 1997 (24.07.97)  (71) Applicant: SHARP KABUSHIKI KAISHA [JP/JI Nagaike-cho, Abeno-ku, Osaka-shi, Osaka 545–  (72) Inventor: QIAN, Richard, Jungiang; Apartment 152 123 road, Vancouver, WA 98683 (US).  (74) Agents: MITANI, Hiroshi et al.; 9th floor, Sahing, 72, Yoshida-cho, Naka-ku, Yokohama-shi, 231-0041 (JP).	P]; 22-: 0013 (J 2, 501 S ute Bui	P). E.    d-

## (54) Title: A METHOD AND SYSTEM FOR OBJECT-BASED VIDEO DESCRIPTION AND LINKING



#### (57) Abstract

A method for object-based video description and linking is disclosed. The method constructs a companion stream for a video sequence which may be in any common format. In the companion stream, textual descriptions, voice annotation, image features, URL links, and Java applets may be recorded for certain objects in the video within each frame. The system includes a capture mechanism for generating an image, such as a video camera or computer. An encoder embeds a descriptive stream with the video and audio signals, which combined signal is transmitted by a transmitter. A receiver receives and displays the video image and the audio. The user is allowed to select whether or not the embedded descriptive stream is displayed or otherwise used.

## FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	Fī	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ.	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ BJ	Benin	IB.	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL.	Israel	MR	Mauritania	UG	Uganda
BY	Belanis .	IS	Iceland	MW	Malawi	บร	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JР	Japan	NE	Niger	VN	Vict Nam
	•	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CG	Congo Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CH		KP	Democratic People's	NZ	New Zealand		
CI	Côte d'Ivoire	N.	Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	u	Liechtenstein	SD	Sudan		
DE	Germany		Sri Lanka	SE	Sweden		
DK	Denmark	LK		SG	Singapore		
EE	Estonia	LR	Liberia	30	Singapore		

#### DESCRIPTION

# A METHOD AND SYSTEM FOR OBJECT-BASED VIDEO DESCRIPTION AND LINKING

5

#### Field of the Invention

This invention relates to an object-based description and linking method and system for use in describing the contents of a video and linking such video contents with other multimedia contents.

## Background of the Invention

10

15

In this information age, we daily deal with vast amount of video information when watching TV, making home video, and browsing the World Wide Web. The video which we receive or make is mostly in an "as is" state, i.e., there is no further information available about the content of the video, and the content is not linked to other related resources. Because of this, we view video in a passive manner. It is difficult for us to interact with the video contents and utilize them efficiently. From time to time, we see someone or something in the video about which we would like to find more information. Usually, we do not know where to find such information, and do not begin or continue our quest. It is also difficult for us to search for video clips which may contain certain content related to our interests.

20

Existing multimedia descriptive networking methods and languages comprise the known art. Examples of such methods include the descriptive techniques used in connection with digital libraries and computer languages, such as HTML and Java. The existing methods used in digital libraries suffer from shortcomings in that they are not necessarily object-based, e.g., the methods that use color histograms describe only the global color contents of a picture and do not

describe the contents of the picture; linking and networking capability is not inherent in the systems; and, the video sources must be of a specific type in order to be compatible with the primary language. Languages such as HTML and Java are difficult to use for describing and linking video contents in a video sequence, especially when it is desired to treat the video sequence at the object level.

5

10

15

20

If a video sequence were to be accompanied by a stream of descriptions and links that provided additional information about the video, and which were embedded in the video signal, we could find further information about certain objects in the video by looking up their descriptions, or visiting their related Web sites or files, by following the embedded links. Such descriptions and links may also provide useful information for content-based searching in digital libraries.

## Summary of the Invention

A new method and system for object-based video description and linking is disclosed. The method constructs a companion stream for a video sequence which may be in any common format. In the companion stream, textual descriptions, voice annotation, image features, object links, URL links, and Java applets may be recorded for certain objects in the video within each frame. The method may be utilized in many applications as described below.

The system of the invention includes a mechanism for generating an encoded image. An encoder embeds a companion descriptive stream with a video signal. A video display displays the video image. The user is allowed to select whether or not the embedded descriptive stream is displayed or otherwise used.

It is an object of the invention to develop a method and system for describing and

linking video contents in any format at the video object level.

5

10

15

20

It is a further object of the invention to allow a video object to be linked to other video/audio contents, such as a Web site, a computer file, or other video objects.

These and other objects and advantages of the invention will become more fully apparent as the description which follows is read in connection with the drawings.

## Brief Description of the Drawings

Fig. 1 is a block diagram of the method of the invention.

Fig. 2 is an illustration of the various types of links that may be incorporated into the invention of Fig. 1.

Fig. 3 is a block diagram of the system of the invention as used within a television broadcast scheme.

#### Detailed Description of the Preferred Embodiment

A new method for describing and linking objects in an image or video sequence is described. The method is intended for use with a video system having a certain digital component, such as a television or a computer. It should be appreciated that the method of the invention is able to provide additional description and links to any format of image or video. While the method and system of the invention is generally intended for use with a video sequence, such as in a television broadcast, video tape or video disc, or a series of video frames viewed on a computer, the method and system are also applicable to single images, such as might be found in an image database, and which are encoded in well-known formats, such as JPEG, MPEG, binary, etc., or any other format. As used herein, "video" includes the concept of a single "image."

Referring now to Fig. 1, the method, depicted generally at 10, builds a description

stream 12 as a companion for a video sequence 14, having a plural frames 16 therein. In each selected frame, there may be one or more objects of interest, such as object 16a and object 16b. It will be appreciated by those of skill in the art that not all of the frames in video sequence 14 must be selected for having a companion descriptive stream linked therewith.

5

10

The descriptive stream records further information about certain objects appearing in the video. The stream consists of continuous blocks 18 of data where each block corresponds to a frame 16 in the video sequence and a frame index 20 is recorded at the beginning of the block. The "object of interest" may comprise the entire video frame. Additionally, a descriptive stream may be linked to a number of frames, which frames may be sequential or non-sequential. In the case where a descriptive stream is linked with a sequential number of frames, the descriptive stream may be thought of as having a "lifespan," i.e., if the user does not take some action to reveal the descriptive stream when a linked frame is displayed, the descriptive stream "dies," and may not, in the case of a television broadcast, be revived. Of course, if the descriptive stream is part of a video tape, video disc, or computer file, the user can always return to the location of the descriptive stream and display the information. Some form of visible or audible indicia may be displayed to indicate that a descriptive stream is linked with a sequence of video frames. Descriptive stream 12 may also be linked to a single image.

20

15

The frame indexes are used to synchronize the descriptive streams with the video sequences. The block may be further divided into a number of sub-blocks 22, 24, containing what are referred to herein as descriptor/links, where each sub-block corresponds to a certain individual object of interest appearing in the frame, i.e., sub-block 22 corresponds to one object 16a in the frame and sub-block 24 corresponds to another object 16b in the same frame. There may be other

objects in the image that are not defined as objects of interest, and which, therefore, do not have a descriptive stream and sub-block associated therewith. A sub-block includes of a number of data fields including but not limited to object index, textual description, voice annotation, image features, object links, URL links, and Java applets. Additional information may include notices regarding copyright and other intellectual property rights. Some notices may be encoded and rendered invisible to standard display equipment.

5

10

15

20

The object index field is used to index an individual object within the frame. It contains the geometrical definition of the object. When a user pauses, or captures, the video at some frame, the system processes all the object index fields within that frame, locates the corresponding objects, and marks them in some manner, such as by highlighting them. The highlighted objects are those that have further information recorded. If a user "clicks" on a highlighted object, the system locates the corresponding sub-block and pop-up menu containing the available information items.

A textual description field is used to store further information about the object in plain text. This field is similar to the traditional closed caption, and its contents may be any information related to the object. The textual description can help keyword-based search for relevant video contents. A content-based video search engine may look up the textual descriptions of video sequences trying to match certain keywords. Because the textual description fields are related to individual objects, they enable truly object-based search for video contents.

A voice annotation field is used to store further information about the object using natural speech. Again, its contents may be any information related to the object.

An image features field is used to store further information about the object in terms of texture, shape, dominant color, motion model describing motion with respect to a certain reference frame, etc.. Image features may be particularly useful for content-based video/image indexing and retrieval in digital libraries.

5

An object links field is used to store links to other video objects in the same or other video sequence or image. Object links may be useful for video summarization and object/event tracking.

10

The URL links field, which is illustrated in Fig. 2, is used to store links to Web pages and/or other objects which are related to the object. For a person in the scene, such as person 26, i.e., the object of interest, the link in the sub-block 28 may be pointed to a URL 30 for the person's personal homepage 32. A symbol or icon in the scene may be linked to a Web site which contains the related background information. Companies may also want to link products 34 shown in the video, through a sub-block 36 to a URL 38 to their Web site 40 so that potential customers may learn more about their products.

15

A Java applet field is used to store Java code to perform more advanced functions related to the object. For example, a Java applet may be embedded to enable online ordering for a product shown in the video. Java code may also be written to implement some sophisticated similarity measures to empower advanced content-based video search in digital libraries.

20

In the case of digital video, the cassettes used for recording in such systems may have a solid-state memory embedded therein which serves as an additional storage location for information. The memory is referred to as memory-in-cassette (MIC). Where the video sequence is stored on a digital video cassette, the descriptive stream may be stored in the MIC, or on the

video tape. In general, the descriptive stream may be stored along with the video or image contents on the same media, i.e., a DVD disc or tape.

5

10

15

20

Figure 3 depicts the system of the invention, generally at 50, as is used in a television broadcast scheme. System 50 includes a capture mechanism, which may be a video camera, a computer capable of generating a video signal, or any other mechanism that is able to generate a video signal. A video signal is passed to an encoder 54, which also receives appropriate companion signals from the various types of links which will form the descriptive stream, which encoder generates a combined video/descriptive stream signal 58. Signal 58 is transmitted by transmitter 60, which may be a broadcast transmitter, a hard-wire system, or a combination thereof. The combined signal is received by receiver 62, which decodes the signal and generates an image for display on video display 64.

A trigger mechanism 66 is provided to cause receiver 62 to decode and display the descriptive stream. A decoder, in this embodiment, is located in receiver 62 for decoding the embedded descriptive stream. The descriptive stream may be displayed in a picture-in-picture (PIP) format on video display 64, or may be displayed on a descriptive stream display 68, which may be co-located with the trigger mechanism, which may take the form of a remote control mechanism for the receiver. Some form of indicia may be provided, either as a visible display on video display 64, or as an audible tone, to indicate that a descriptive stream is present in the video sequence.

Activating trigger mechanism 66 when a descriptive stream is present will likely result in those objects which have descriptive streams associated therewith being highlighted, or otherwise marked, to tell the user that additional information about the video object is present.

The data block information is displayed in the descriptive stream display, and the devise manipulated to allow the user to select and activate the display of additional information. The information may be displayed immediately, or may be stored for future reference. Of key importance is to allow the video display to continue uninterrupted so that others watching the display will not be compelled to remove the remote control from the possession of the user who is seeking additional information.

In the event that the system of the invention is used with a digital library, on a computer system for instance, capture mechanism 52, transmitter 60 and receiver 62 may not be required, as the video or image will have already been captured and stored in a library, which library likely resides on magnetic or optical media which is hard-wired to the video or image display. In this embodiment, a decoder to decode the descriptive stream may be located in the computer or in the display. The trigger mechanism may be combined with a mouse or other pointing device, or may be incorporated into a keyboard, either with dedicated keys, or by the assignment of a key sequence. The descriptive stream display will likely take the form of a window on the video display or monitor.

#### **Applications**

#### Broadcasting TV Programs

5

10

15

20

TV stations may utilize the method and system of the invention to add more functionality to their broadcasting programs. They may choose to send out descriptive streams along with their regular TV signals so that viewers may receive the programs and utilize the advanced functions described herein. The scenario for a broadcast TV station is similar to that of sending out closed caption text along with regular TV signals. Broadcasters have the flexibility of

choosing to send or not to send the descriptive streams for their programs at will. If a receiving TV set has the capability of decoding the descriptive streams, the viewer may choose to use or not use the advanced functions, just as the viewer may choose to view or not to view closed caption text. If the user chooses to use the functions, the user may read extra text about someone or something in the programs, hear extra voice annotations, or go directly to the related Web site(s), if the TV set is Web enabled, or perform some tasks, such as online ordering, by running the embedded Java applets.

For a video sequence, the descriptive stream may be obtained through a variety of mechanisms. It may be constructed manually using an interactive method. An operator may explicitly choose to index certain objects in the video and record some corresponding further information. The descriptive stream may also be constructed automatically using any video analysis tools, especially those to be developed for the Moving Pictures Experts Group Standard No. 7 (MPEG-7).

## Consumer Home Video

20

5

10

15

The method and system of the invention may be utilized in making consumer video. Camcorders, VCRs and DVD recorders may be developed to allow the construction and storage of descriptive streams while recording and editing. Those devices may provide user interface programs to allow a user to manually locate certain objects in their video, index them, and recording any corresponding information into the descriptive streams. For example, a user may locate an object within a frame by specifying a rectangular region which contains the object. The user may then choose to enter some text into the textual description field, record some speech into the voice annotation field, and key in some Web page address into the URL links

field. The user may choose to allow the programming of the device to propagate those descriptions to the surrounding frames. This may be done by tracking the objects in the nearby frames. The recorded descriptions for certain objects may also be used as their visual tags.

If a descriptive stream is recorded along with a video sequence as described above, that video can then be viewed later and support all the functions as described above.

5

10

15

20

Digital Video/Image Databases

As previously noted, the method and system of the invention may also be used in digital libraries. The method may be applied to video sequences or images originally stored in any common format including RGB, D1, MPEG, MPEG-2, MPEG-4, etc. If a video sequence is stored in MPEG-4, the location information of the objects in the video may be extracted automatically. This eases the burden of manually locating them. Further information may then be added to each extracted object within a frame and propagated into other sequential or non-sequential frames, if so selected. When a sequence or image is stored in a non-object-based format, the mechanism described herein may be used to construct descriptive streams. This enables a video sequence or image stored in one format to be viewed and manipulated in a different format, and to have the description and linking features of the invention to be applied thereto.

The descriptive streams facilitate content-based video/image indexing and retrieval.

A search engine may find relevant video contents at the object level, by matching relevant keywords against the text stored in the textual description fields in the descriptive streams. The search engine may also choose to analyze the voice annotations, match the image features, and/or look up the linked Web pages for additional information. The embedded Java applets may

implement more sophisticated similarity measures to further enhance content-based video/image indexing and retrieval.

Thus, a method and system for object-based video description and linking has been disclosed. It will be appreciated that variations and modifications thereof may be made within the scope of the invention as defined in the appended claims.

5

## **CLAIMS**

A method of object-based description and linking of objects within an image,
 comprising:

generating a descriptive stream, including a data block, for the image;
identifying at least one object of interest in the image;
inserting description/links into the data block for an object of interest; and
recording a frame index at the beginning of each data block for synchronizing the
description/links with the image.

- 2. The method of claim 1 wherein said inserting of description/links includes inserting description/links taken from the group of description/links consisting of object indexes, textual descriptions, voice annotation, image features, object links, URL links and Java applets.
- 3. The method of claim 1 wherein said identifying at least one object of interest includes identifying the entire image as an object of interest.
- 4. The method of claim 1 wherein the image is a portion of a sequence of images comprising a video sequence of video frames, and wherein said generating a descriptive stream includes generating a descriptive stream for plural video frames in said video sequence.

5. The method of claim 4 wherein the video frames are in sequential order in said video sequence.

- 6. The method of claim 4 wherein the video frames are in non-sequential order in said video sequence.
- 7. A method of object-based description and linking of objects within a video sequence, wherein the video sequence includes plural video frames, comprising:

generating a descriptive stream, including a data block corresponding to a select video frame in the video sequence;

identifying at least one object of interest in a video frame;

inserting description/links into the data block for an object of interest; and recording a frame index at the beginning of each data block for synchronizing the description/links with the video sequence.

- 8. The method of claim 7 wherein said inserting of description/links includes inserting description/links taken from the group of description/links consisting of object indexes, textual descriptions, voice annotation, image features, object links, URL links and Java applets.
- 9. The method of claim 7 wherein said identifying at least one object of interest includes identifying the entire video frame as an object of interest.

10. The method of claim 7 wherein said generating a descriptive stream includes generating a descriptive stream for plural video frames in a video sequence.

- 11. The method of claim 10 wherein the video frames are in sequential order in a video sequence.
- 12. The method of claim 10 wherein the video frames are in non-sequential order in a video sequence.
- 13. A system for object-based video description and linking of objects to an image, wherein the image is represented by an electrical signal, comprising:


an encoder for embedding a descriptive stream with the electrical signal;

- a display mechanism for displaying the image;
- a decoder for decoding the embedded descriptive stream; and
- a trigger mechanism for instructing said decoder to decode and display said descriptive stream in a descriptive stream display at the request of a user, and for selecting, at the request of a user, a particular portion of the descriptive stream with which to work.
- 14. The system of claim 13 which further includes a capture mechanism for generating the image as a sequence of video frames, and for converting said image into a video signal.

15. The system of claim 14 which further includes a transmitter for transmitting said video signal and said embedded descriptive stream; and a receiver constructed and arranged for receiving said video signal and said embedded descriptive stream and for displaying a video image.

- 16. The system of claim 14 wherein said capture mechanism is taken from the group consisting of video cameras and computers.
- 17. The system of claim 13 wherein said trigger mechanism is located in a remotecontrol device.
- 18. The system of claim 13 wherein said descriptive stream display is located in a remote-control device.

FIG.1







FIG.3



## INTERNATIONAL SEARCH REPORT

I. national Application No PCT/JP 98/01736

A. CLASSI IPC 6	FICATION OF SUBJECT MATTER G06F17/30		
According to	o International Patent Classification (IPC) or to both national classification	tion and IPC	
B. FIELDS	SEARCHED		
Minimum do IPC 6	ocumentation searched (classification system followed by classification G06F	n symbols)	
Documenta	tion searched other than minimum documentation to the extent that s	ich documents are included in th	a fields searched
Electronic d	ata base consulted during the International search (name of data ba	e and, where practical, search te	rms used)
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the rele	vant passages	Relevant to claim No.
A	WO 97 12342 A (WISTENDAHL DOUGLAS ;CHONG LEIGHTON K (US)) 3 April 1 see page 21, line 7 - page 22, li claims 1-6; figures	997	1-18
A	EP 0 618 526 A (US WEST ADVANCED 5 October 1994 see column 4, line 5 - column 6, figure 3 see column 9, line 33 - column 12	line 28;	1-18
A	"MULTIMEDIA HYPERVIDEO LINKS FOR MOTION VIDEOS" IBM TECHNICAL DISCLOSURE BULLETIN vol. 37, no. 4A, 1 April 1994, pa XP000446196 see the whole document	I <b>,</b>	1-18
	-	/	
X Funt	her documents are listed in the continuation of box C.	X Patent family members	are listed in annex.
"A" docume consid	tegories of cited documents :  and defining the general state of the art which is not level to be of particular relevance	"T" later document published after or priority date and not in or cited to understand the prin invention	er the international filling date orflict with the application but ciple or theory underlying the
filing d "L" docume which	tocument but published on or after the international ate int which may throw doubts on priority claim(s) or is cited to establish the publication date of another n or other special reason (as specified)	involve an inventive step wi "Y" document of particular releva	or cannot be considered to nen the document is taken alone ance; the claimed invention
"O" docume other r	ent referring to an oral disclosure, use, exhibition or means	cannot be considered to inv document is combined with ments, such combination be	olve an inventive step when the one or more other such docu- ang obvious to a person skilled
rater tr		in the art. "&" document member of the sar	me patent family
	actual completion of the international search	Date of mailing of the internal	itional search report
	7 August 1998	25/08/1998	
ivame and n	nailing address of the ISA European Patent Office, P.B. 5818 Patentlaan 2 NL - 2280 HV Rljswijk	Authorized officer	
	Tel. (+31-70) 340-2040, Tx. 31 651 epo nl, Fax: (+31-70) 340-3016	Fournier, C	

1

## INTERNATIONAL SEARCH REPORT

national Application No
PCT/JP 98/01736

	CT/JP 98/01736
Chauon or occument, with indication, where appropriate, of the relevant passages	Relevant to claim No.
BURRILL V ET AL: "TIME-VARYING SENSITIVE REGIONS IN DYNAMIC MULTIMEDIA OBJECTS: A PRAGMATIC APPROACH TO CONTENT BASED RETRIEVAL FROM VIDEO" INFORMATION AND SOFTWARE TECHNOLOGY, vol. 36, no. 4, 1 January 1994, pages 213-223, XP000572844 see the whole document	1-18
	REGIONS IN DYNAMIC MULTIMEDIA OBJECTS: A PRAGMATIC APPROACH TO CONTENT BASED RETRIEVAL FROM VIDEO" INFORMATION AND SOFTWARE TECHNOLOGY, vol. 36, no. 4, 1 January 1994, pages 213-223, XP000572844 see the whole document

1

## INTERNATIONAL SEARCH REPORT

Information on patent family members

national Application No PCT/JP 98/01736

WO 9712342	Α	03-04-1997	US	5708845 A	13-01-1998
EP 0618526	Α	05-10-1994	US	5442456 A	15-08-1995

Form PCT/ISA/210 (patent family annex) (July 1992)